





Vehicle model	FL 210 FL 240	B7RLE	B7RLE	B8R (Euro 6)	B8R (Euro 6)	B8R (Euro 6)
Year	(09/2013>)			(2013>)	(2013>)	(2013>)
Engine Type	D5K210 (Euro 6) D5K240 (Euro 6)	D7E (Euro 4-5)	D7E (Euro 4-5)	D8K280 (Euro 6) D8K320 (Euro 6) D8K350 (Euro 6)	D8K280 (Euro 6) D8K320 (Euro 6) D8K350 (Euro 6)	D8K280 (Euro 6) D8K320 (Euro 6) D8K350 (Euro 6)
CV(kW) @ rpm	210(154) @ 1700 240(176) @ 2200	290 (213) @ 2.100	290 (213) @ 2.100	280 (206) @ 1.700 320 (235) @ 1.600 350 (257) @ 1.600	280 (206) @ 1.700 320 (235) @ 1.600 350 (257) @ 1.600	280 (206) @ 1.700 320 (235) @ 1.600 350 (257) @ 1.600
N. of cylinders/cm3	4 / 5.100	6 / 7.140	6 / 7.140	6 / 7.700	6 / 7.700	6 / 7.700
Volts	24	24	24	24	24	24
Air Conditioning	Only Vehicles with A/C	Only Vehicles without A/C	Only Vehicles without A/C	Only Vehicles without A/C	Only Vehicles without A/C	Only Vehicles without A/C
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge
						
Compressors type	TM/QP 31	X430	BOCK FK40	BOCK FK40	BOCK FK40	TM 31
Comments	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - No compatible Kit in vehicles equipped with pneumatic suspension in the front axis. - See Fitting Instructions for details on the refer system ACC wire connection - For vehicles not equipped with air conditioning, select also the idler pulley bracket ass'y P/N 115000295 	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles. - Fittings supplied with unit. 	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles. - Fittings supplied with unit. 	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Fittings not included in the kit 	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Fittings not included in the kit - Kit designed to mount a Bock FK40 compressor and a 2nd original alternator. - It is necessary Lining LA16.0333Y E-M-Clutch with plug. 	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Fittings not included in the kit
Clutch type	Without clutch pulley	Without clutch pulley	Without clutch pulley	Without clutch pulley	Without clutch pulley	Without clutch pulley
	2B Ø158 3.200 rpm	2B Ø204 2.831 rpm	2B Ø200 2.887 rpm	2B Ø180 3.278 rpm	2B Ø180 3.278 rpm	2B Ø158 3.734 rpm
Kit No.	KB18038090	KB10098023X	KB10098023	KB13098051	KB14118067	KB15118077
Last update	2018-05-03	2013-10-21	2013-10-21	2014-04-28	2014-12-11	2016-02-08

Vehicle model	B8R (Euro 6)		B9TL		B9R		B9R		B11R 4x2 B11R 6x2		B11R 4x2 B11R 6x2	
Year	(2013>)		(2006>)		(2006>)		(2006>)		(11>2011)		(11/2011>)	
Engine Type	D8K280 (Euro 6) D8K320 (Euro 6) D8K350 (Euro 6)		D9B (Euro 4-5)		D9B (Euro 4-5)		D9B (Euro 4-5)		D11C330 (Euro 5) D11C370 (Euro 5) D11C410 (Euro 5 - EEV) DC11C450 (Euro 5)		D11C330 (Euro 5) D11C370 (Euro 5) D11C410 (Euro 5 - EEV) DC11C450 (Euro 5)	
CV(kW) @ rpm	280 (206) @ 1.700 320 (235) @ 1.600 350 (257) @ 1.600		260 (191) @ 2400 310 (228) @ 2400		340 (250) @ 1900 380 (279) @ 1900		340 (250) @ 1900 380 (279) @ 1900		330 (243) @ 1900 370 (272) @ 1900 410 (301) @ 1900 450 (331) @ 1900		330 (243) @ 1900 370 (272) @ 1900 410 (301) @ 1900 450 (331) @ 1900	
N. of cylinders/cm3	6 / 7.700		6 / 9.400		6 / 9.400		6 / 9.400		6 / 10.837		6 / 10.837	
Volts	24		24		24		24		24		24	
Air Conditioning	Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
												
Compressors type	BOCK FK40 + TM31		TM 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		BOCK FK40 BITZER 4UFC		X430		X430		BOCK FK40 BITZER 4UFC	
Comments	- Can be fit in right hand drive vehicles - Kit designed to mount a Bock FK40 compressor and a TM31 compressor. - It is necessary "Linning LA160234Y".		- Can be fit in right hand drive vehicles.		- Can be fit in right hand drive vehicles. - Fittings supplied with unit.		- Can be fit in right hand drive vehicles. - Fittings supplied with unit.		- Can be fit in right hand drive vehicles. - Fittings supplied with unit.		- Can be fit in right hand drive vehicles. - Fittings supplied with unit.	
Clutch type	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Linning LA160234Y 2B Ø210 2809 rpm 2B Ø151 4836 rpm		Poly-V 6K Ø119 4.961 rpm		2B Ø257 (LA16.0222Y) 2.344 rpm		2B Ø204 2.952 rpm		2B Ø204 2.701 rpm		2B Ø220 (LA16.0148Y) 2.505rpm	
Kit No.	KB16018078		KB10038019		KB11068029		KB11068029X		KB11088033X		KB11088033	
Last update	2017-01-12		2010-03-24		2014-01-29		2014-01-29		2013-10-21		2013-10-21	

Vehicle model	B11R		B11R				
Year	(2013>)		(2013>)				
Engine Type	D11K380 (Euro 6) D11K430 (Euro 6) D11K470 (Euro 6)		D11K380 (Euro 6) D11K430 (Euro 6) D11K470 (Euro 6)				
CV(kW) @ rpm	380 (279) @ 1.800 430 (316) @ 1.800 470 (345) @ 1.800		380 (279) @ 1.800 430 (316) @ 1.800 470 (345) @ 1.800				
N. of cylinders/cm3	6 / 10.800		6 / 10.800				
Volts	24		24				
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C				
Recommended fittings	Suction	Discharge	Suction	Discharge			
Compressors type	BOCK FK40		BOCK FK40				
Comments	<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Fittings not included in the kit - Kit designed to mount a BOCK FK40 compressor and a 2nd original alternator - It is necessary Linning LA16.0333Y E-M-Clutch with plug. 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Fittings not included in the kit - Clutch references: LINNIG (LA16.0172) Ø180 LANG (KK73.1.36.N-St) Ø180 				
Clutch type	Without clutch pulley		Without clutch pulley				
	2B Ø180 3.278 rpm		2B Ø180 2.884 rpm				
Kit No.	KB15038074		KB13068050				
Last update	2015-04-08		2014-10-30				