



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	NEMO 1.3 HDi 75		NEMO 1.4 HDi 70		BERLINGO 1.5 BlueHDi		BERLINGO 1.5 BlueHDi		BERLINGO 1.5 BlueHDi		BERLINGO 2018 1.6 BlueHDi 75 1.6 BlueHDi 100 1.6 BlueHDi 120			
	(2004>2009)		(01/2008>)		(02/2022>)		(2018-02/2022)		(2018>)		(2018>)			
Engine Type	199 A 2000 (Euro 4)		DV4 TED (Euro 4-5)		DV5 (Euro 6.3/Euro 6.4)		DV5 RE (Euro 6.2 / Euro 6.3) DV5 RD (Euro 6.2 / Euro 6.3) DV5 RC (Euro 6.2 / Euro 6.3)		DV5 (Euro 6.2 / Euro 6.3 / Euro 6.4)		DV6 (Euro 6.1)			
CV(kW) @ rpm	75 (55) @ 4.000		70 (51) @ 4.000		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000			
N. of cylinders/cm3	4 / 1.248		4 / 1.399		4 / 1.499		4 / 1.499		4 / 1.499		4 / 1.560			
Volts	12		12		12		12		12		12			
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles with A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge		
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD7H15 / SD7L15			
Comments	- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø 119 only Poly-V 7K-8K - Can be fit with electrical power steering - Can be fit in right hand drive vehicles.		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option  NOT SUITABLE with vehicles equipped with protection crash bar url=#https://www.olivatorras.com/kits/show_doc/SB22030055%20PSA%20Protection%20Crash%20Bar#/urlFor more information#/mask		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A) - KIT SUITABLE ONLY FOR VEHICLES WITH AIR CONDITIONING COMPRESSOR n° 9810349980 NOT SUITABLE with vehicles equipped with shock absorber bar url=#https://www.olivatorras.com/kits/show_doc/SB23050060%20PSA%20Protection%20Crash%20Bar#/urlFor more information(SB23050060)#/mask For the case of order Poly-V 7K Ø 119 3.697 rpm	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley		
	Poly-V Ø 119 3.697 rpm	Poly-V 8K Ø 119 3.697 rpm	Poly-V Ø 119 5.109 rpm	Poly-V 6K Ø 142 4.281 rpm	Poly-V 8K Ø 119 4.500 rpm	Poly-V 8K Ø 119 4.500 rpm	Poly-V 8K Ø 119 3.412 rpm	Poly-V 8K Ø 119 3.412 rpm	Poly-V 8K Ø 119 4.800 rpm	Poly-V 6K Ø 142 4.035 rpm	Poly-V 8K Ø 119 3.412 rpm	Poly-V 8K Ø 119 3.412 rpm		
Kit No.	KC08090140	KC08090140E	KC08030124	KC08030124E/S	KC22060551	KC22060551E	KC19020481	KC19020481E	KC19070492	KC19070492E	KC18100470	KC18100470E		
Last update	2019-11-25		2013-12-17		2023-06-22		2019-08-19		2019-08-07		2019-02-28			



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	BERLINGO 1.6 BlueHDi 75 1.6 BlueHDi 100 1.6 BlueHDi 120		BERLINGO 1.6 HDi 75 1.6 HDi 90 1.6 HDi 115		JUMPY 1.5 BlueHDi		JUMPY 1.5 BlueHDi		JUMPY 2.0 BlueHDi		JUMPY 1.5 BlueHDi	
Year	(2016)		(01/2007>)		(2021>)		(2021>)		(11/2021>)		(2018>)	
Engine Type	DV6 (Euro 6.1)		DV6 ATED4 (Euro 4-5)		DV5 (Euro 6.3)		DV5 (Euro 6.3 / Euro 6.4)		DW10 (Euro 6.3 / Euro 6.4)		DV5 (Euro 6.2)	
CV(kW) @ rpm	75 (55) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		75 (55) @ 4.000 90 (66) @ 4.000 100 (74) @ 4.000 120 (88) @ 4.000		100 (74) @ 3.750 120 (88) @ 3.750		100 (74) @ 3.750 120 (88) @ 3.750		145 (107) @ 3.750 177 (130) @ 3.750		100 (74) @ 3.750 120 (88) @ 3.750	
N. of cylinders/cm3	4 / 1.560		4 / 1.560		4 / 1.499		4 / 1.499		4 / 1.997		4 / 1.499	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15	
Comments	- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15 / SD7L15. - For SD5H14 / SD5L14 and SD7H15 / SD7L15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles. - MUFFLER option recommended.		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15 / SD7L15. - For SD5H14 / SD5L14 and SD7H15 / SD7L15 Ø119 only Poly-V 7K-8K - Can be fit with electrical power steering - Can be fit in right hand drive vehicles. - MUFFLER option recommended.		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option		- "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - Suitable for vehicles with automatic gear box. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm
Kit No.	KC16060408	KC16060408E/S	KC08030124	KC08030124E/S	KC19020481	KC19020481E	KC19070492	KC19070492E	KC22010537	KC22010537E	KC19020481	KC19020481E
Last update	2016-09-14		2013-12-17		2022-02-24		2022-02-24		2022-02-23		2019-08-19	



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	JUMPY 1.5 BlueHDi		JUMPY 2.0 BlueHDi		JUMPY 2.0 BlueHDi		JUMPY 1.6 BlueHDi		JUMPY 1.6 BlueHDi		JUMPY 2.0 BlueHDi	
<b>Year</b>	(2018>)		(09/2019-11/2021)		(09/2019>)		(09/2016>)		(09/2016>)		(09/2016>)	
<b>Engine Type</b>	DV5 (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)		DV6FDU (Euro 6) DV6FCU (Euro 6)		DV6FDU (Euro 6) DV6FCU (Euro 6)		DW10FE (Euro 6) DW10FD (Euro 6)	
<b>CV(kW) @ rpm</b>	100 (74) @ 3.750 120 (88) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750		95 (70) @ 3.750 115 (85) @ 3.750		95 (70) @ 4.000 115 (85) @ 4.000		120 (88) @ 3.750 150 (110) @ 3.750	
<b>N. of cylinders/cm3</b>	4 / 1.499		4 / 1.997		4 / 1.997		4 / 1.560		4 / 1.560		4 / 1.997	
<b>Volts</b>	12		12		12		12		12		12	
<b>Air Conditioning</b>	Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C	
<b>Recommended fittings</b>	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
<b>Compressors type</b>	TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		UP-UPF 150		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		UP-UPF 150	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Suitable for vehicles with automatic gear box.</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- Use tool to block the flywheel P/N 1149000412</li> <li>- KIT NOT SUITABLE FOR EURO 6.3</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- Use tool to block the flywheel P/N 1149000412</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- "S" only for SD7H15.</li> <li>- KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A)</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- KIT NOT SUITABLE FOR VEHICLES WITH STTA OPTION (START/STOP AND REVERSIBLE ALTERNATOR 180A)</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles.</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- Use tool to block the flywheel P/N 1149000412</li> </ul>	
<b>Clutch type</b>	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm		Poly-V 8PK Ø119 3.136 rpm	Poly-V 8PK Ø119 3.136 rpm	Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 8PK Ø119 3.120 rpm	
<b>Kit No.</b>	KC19070492	KC19070492E	KC16080412	KC16080412E	KC16080412Z		KC16070411	KC16070411E	KC16060408	KC16060408E/S	KC16080412Z	
<b>Last update</b>	2019-08-07		2020-04-23		2020-04-23		2016-10-28		2016-09-14		2020-04-23	



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	JUMPY 2.0 BlueHDi		JUMPY 1.6 HDi		JUMPY 1.6 HDi		JUMPY 160 HDi FAP 125 HDi FAP		JUMPY 160 HDi FAP 125 HDi FAP		JUMPY 120 HDi 140 HDi FAP	
Year	(09/2016-09/2019)		(02/2007>)		(02/2007>)		(07/2010>)		(07/2010>)		(02/2007>)	
Engine Type	DW10FE (Euro 6) DW10FD (Euro 6)		DV6 UTED 4 (Euro 4-5)		DV6 UTED 4 (Euro 4-5)		DW10CTED4 (Euro 5) DW10CD (Euro 5)		DW10CTED4 (Euro 5) DW10CD (Euro 5)		DW 10 UTED 4 (Euro 4) DW 10 BTED 4 (Euro 4)	
CV(kW) @ rpm	120 (88) @ 3.750 150 (110) @ 3.750		90 (66) @ 4.000		90 (66) @ 4.000		163 (120) @ 3.750 128 (94) @ 3.500		163 (120) @ 3.750 128 (94) @ 3.500		122 (90) @ 4.000 138 (101) @ 4.000	
N. of cylinders/cm3	4 / 1.997		4 / 1.560		4 / 1.560		4 / 1.997		4 / 1.997		4 / 1.997	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM-QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Suitable for vehicles with automatic gear box.</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- Use tool to block the flywheel P/N 1149000412</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- UNICLA: Clutch drive plate Ø120 not suitable.</li> <li>- Can be fit with electrical power steering</li> <li>- Can be fit in right hand drive vehicles.</li> <li>- Kit not suitable in vehicles with steel crankshaft pulley ref. 9810714580 / 126011 Check in the Service Bulletin SB15050026</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA;"S"=SANDEN</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit with electrical power steering</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM-UNICLA</li> <li>- UNICLA: Clutch drive plate Ø120 not suitable.</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Suitable for vehicles equipped with automatic gear box</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM-UNICLA;"S"=SANDEN.</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM-UNICLA;"S"=SANDEN.</li> <li>- "S" only for SD7H15.</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles.</li> </ul>	
Clutch type	Without clutch pulley	With clutch pulley	With clutch pulley		Without clutch pulley	With clutch pulley	With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 6K Ø125 3.136 rpm		Poly-V Ø119 5.109 rpm	Poly-V 6K Ø142 4.281 rpm	Poly-V 6K Ø125 3.000 rpm		Poly-V Ø119 4.790 rpm	Poly-V 8K Ø157 3.630 rpm	Poly-V Ø119 5109 rpm	Poly-V 6K Ø142 4282 rpm
Kit No.	KC16080412	KC16080412E	KC12050270E		KC08030124	KC08030124E/S	KC10110207E		KC11100248	KC11100248E/S	KC07030105	KC07030105E/S
Last update	2020-04-23		2013-12-17		2013-12-17		2015-01-27		2014-10-01		2009-06-01	



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	JUMPY 120 HDi 140 HDi FAP		JUMPER 2.2 BlueHDi		JUMPER 2.2 BlueHDi		JUMPER 2.2 BlueHDi		JUMPER 2.0 BlueHDi			
Year	(02/2007>)		(09/2019>)		(09/2019>)		(09/2019>)		(09/2016-09/2019)			
Engine Type	DW 10 UTED 4 (Euro 4) DW 10 BTED 4 (Euro 4)		DW12 (Euro 6.2 / Euro 6.3 / Euro 6.4)		DW12 RU (Euro 6.2 / Euro 6.3)		DW12 RU (Euro 6.2 / Euro 6.3 / Euro 6.4)		DW12 RU (Euro 6.2 / Euro 6.3 / Euro 6.4)			
CV(kW) @ rpm	122 (90) @ 4.000 138 (101) @ 4.000		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750			
N. of cylinders/cm3	4 / 1.997		4 / 2.179		4 / 2.179		4 / 2.179		4 / 1.997			
Volts	12		12		12		12		12			
Air Conditioning	Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge		
Compressors type	TM 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 SD5H14 / SD7H15		UP-UPF 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15			
Comments	<ul style="list-style-type: none"> <li>- "E"=TM-UNICLA</li> <li>- UNICLA: Clutch drive plate Ø120 not suitable.</li> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Use tool to block the flywheel P/N 1149000412</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface Box" JI01 option (connector 15 ways</p>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Use tool to block the flywheel P/N 1149000412</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Kit with independent belt for the refrigeration compressor</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface</p>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface</p>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Use tool to block the flywheel P/N 1149000412</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface Box" JI01 option (connector 15 ways</p>	
Clutch type	With clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley		
	Poly-V 6K Ø125 3.200 rpm		Poly-V Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V Ø119 3.150 r.p.m.		Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V Ø119 4.790 r.p.m.	Poly-V 8K Ø119 4.790 r.p.m.	Poly-V Ø119 3.150 r.p.m.	
Kit No.	KC08040132E		KC15050390	KC15050390E	KC15050390Z		KC17070438	KC17070438E	KC15060391	KC15060391E	KC15050390	KC15050390E
Last update	2014-10-13		2023-08-21		2019-07-22		2019-09-16		2019-09-16		2023-08-21	



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS

Vehicle model	JUMPER 2.0 BlueHDi		JUMPER 2.0 BlueHDi		JUMPER 2.0 BlueHDi		JUMPER 2.2 HDi		JUMPER 2.2 HDi		JUMPER 3.0 HDi	
<b>Year</b>	(09/2016-09/2019)		(09/2016>09/2019)		(09/2016>09/2019)		(2014>)		(2014>)		(2014>)	
<b>Engine Type</b>	DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		DW10 FUE (Euro 6) DW10 FUD (Euro 6) DW10 FUC (Euro 6)		4 H6 (Euro 5b+) 4 HH (Euro 5b+) 4 HJ (Euro 5b+)		4 H6 (Euro 5b+) 4 HH (Euro 5b+) 4 HJ (Euro 5b+)		F1C (Euro 5b+)	
<b>CV(kW) @ rpm</b>	110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.750 130 (96) @ 3.750 163 (120) @ 3.750		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		180 (132) @ 3.500	
<b>N. of cylinders/cm3</b>	4 / 1.997		4 / 1.997		4 / 1.997		4 / 2.198		4 / 2.198		4 / 2.999	
<b>Volts</b>	12		12		12		12		12		12	
<b>Air Conditioning</b>	Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C	
<b>Recommended fittings</b>	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
<b>Compressors type</b>	UP-UPF 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
<b>Comments</b>	<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> <li>- Use tool to block the flywheel P/N 1149000412</li> <li>- According to bodybuilder indications, the power take off is not suitable for the automatic gear box.</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- Can be fit in right hand drive vehicles</li> <li>- Kit with independent belt for the refrigeration compressor</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface</p>		<ul style="list-style-type: none"> <li>- "E"=TM / QUE / UNICLA</li> <li>- For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K</li> <li>- Can be fit in right hand drive vehicles</li> <li>- The kit is not suitable for vehicles 4x4</li> <li>- If the vehicle is equipped with the Start &amp; Stop, it is necessary to disable this option</li> </ul> <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface</p>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> </ul>		<ul style="list-style-type: none"> <li>- Can be fit in right hand drive vehicles</li> </ul>	
<b>Clutch type</b>	Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Poly-V Ø119 3.150 r.p.m.		Poly-V 8K Ø119 3.150 r.p.m.		Poly-V 8K Ø119 3.150 r.p.m.		Poly-V Ø119 4.790 r.p.m.		Poly-V 8K Ø119 4.790 r.p.m.		2A Ø135 3.530 rpm	
<b>Kit No.</b>	KC15050390Z		KC17070438	KC17070438E	KC15060391	KC15060391E	KC12030266		KC06090084		KC07030104	
<b>Last update</b>	2019-05-02		2019-08-28		2016-09-08		2015-02-05		2015-02-05		2015-02-05	



CITROËN



**OLIVA TORRAS**  
MOUNT & DRIVE KITS



Vehicle model	JUMPER 3.0 HDi		JUMPER 2.0 HDi 2.2 HDi		JUMPER 2.2 HDi		JUMPER 2.2 HDi		JUMPER 2.8 HDi		JUMPER 3.0 HDi 160 3.0 HDi 180	
Year	(2014>)		(07/2004>)		(12/2011>)		(07/2006>)		(2000>)		(06/2006>)	
Engine Type	F1C (Euro 5b+)		DW10TD (Euro 3) DW12TED (Euro 3)		4 H6(Euro 5) 4 HH(Euro 5) 4 HJ(Euro 5)		4 HV / HU (Euro 4) 4 H6 / HH / HJ (Euro 5)		8140.43		F1C(Euro 4-5)	
CV(kW) @ rpm	180 (132) @ 3.500		85 (62) @ 4.000 100 (74) @ 4.000		110 (81) @ 3.500 130 (96) @ 3.500 150 (110) @ 3.500		100 (74) / 110 (81) @ 2.900 120 (88) / 130 (96) @ 3.500 150 (110) @ 3.500		127 (93) @ 3.600		157 (115) @ 3.600 177 (130) @ 3.500	
N. of cylinders/cm3	4 / 2.999		4 / 1.997 4 / 2.178		4 / 2.198		4 / 2.198		4 / 2.798		4 / 2.999	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	- "E"=TM / QUE / UNICLA - To install this kit it is essential to use the special tool code P/N 1140000155 - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA;"S"=SANDEN - "S" only for SD7H15. - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Applicable only when the power steering pump is located rear the engine (driven with an independent belt), not above the alternator - Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles		- "E"=TM / QUE / UNICLA - To install this kit it is essential to use the special tool code P/N 1140000155 - Can be fit in right hand drive vehicles	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V Ø119 4.039 rpm	Poly-V 8K Ø119 4.039 rpm	Poly-V Ø119 5.210 rpm	Poly-V 6K Ø142 4.366 rpm	2A Ø135 3.530 rpm		2A Ø135 3.530 rpm		Poly-V Ø119 2.874 rpm	Poly-V 8K Ø119 2.874 rpm	Poly-V Ø119 4.039 rpm	Poly-V 8K Ø119 4.039 rpm
Kit No.	KC09030155	KC09030155E	KC05100015	KC05100015E/S	KC12030266		KC06090084		KC05100011	KC05100011E	KC09030155	KC09030155E
Last update	2019-11-25		2013-12-17		2013-12-18		2013-12-18		2019-11-22		2019-11-25	



CITROËN



OLIVA TORRAS  
MOUNT & DRIVE KITS

<b>Vehicle model</b>	JUMPER 3.0 HDi 160 3.0 HDi 180					
<b>Year</b>	(06/2006>)					
<b>Engine Type</b>	F1C (Euro 4-5)					
<b>CV(kW) @ rpm</b>	157 (115) @ 3.600 177 (130) @ 3.500					
<b>N. of cylinders/cm3</b>	4 / 2.999					
<b>Volts</b>	12					
<b>Air Conditioning</b>	Only Vehicles without A/C					
<b>Recommended fittings</b>	Suction	Discharge				
						
<b>Compressors type</b>	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15					
<b>Comments</b>	- Can be fit in right hand drive vehicles					
<b>Clutch type</b>	Without clutch pulley					
	2A Ø135 3.680 rpm					
<b>Kit No.</b>	KC07030104					
<b>Last update</b>	2013-12-18					