



Vehicle model	COMBO CARGO (PSA Platform) 1.5 TD		COMBO CARGO (PSA Platform) 1.5 TD		COMBO CARGO (PSA Platform) 1.5 TD		COMBO 1.3 CDTI		COMBO 1.4 CNG		COMBO 1.4 CNG	
Year	(02/2022>)		(2018-02/2022)		(2018>)		(09/2016>09/2019)		(2010>)		(2010>)	
Engine Type	DV5 (Euro 6.3/Euro 6.4)		DV5 RE (Euro 6.2 / Euro 6.3) DV5 RD (Euro 6.2 / Euro 6.3) DV5 RC (Euro 6.2 / Euro 6.3)		DV5 (Euro 6.2 / Euro 6.3 / Euro 6.4)		330A1000 (Euro 6)		A14FCCNG (Euro 6)		A14FCCNG (Euro 6)	
CV(kW) @ rpm	75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		75 (55) @ 3.750 100 (74) @ 3.750 130 (96) @ 3.750		95 (70) @ 3.750		120 (88) @ 5.000		120 (88) @ 5.000	
N. of cylinders/cm3	4 / 1.499		4 / 1.499		4 / 1.499		4 / 1.248		4 / 1.368		4 / 1.368	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option <p>NOT SUITABLE with vehicles equipped with protection crash bar url=#https://www.olivatorras.com/kits/show_doc/SB22030055%20PSA%20Protection%20Crash%20Bar#/urlFor more information#/mask</p>		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - It's possible to mount the kit on vehicles with AC, although the AC compressor must be removed in order to fit the kit and the refrigeration compressor. In those cases, the accessories belt must be exchanged (use original reference Fiat 6PK1526: FPT 552 18885). - NOT SUITABLE FOR Euro VI-D vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 4.500 rpm	Poly-V 8K Ø119 4.500 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	2A Ø135 3.750 rpm		Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm
Kit No.	KC22060551	KC22060551E	KC19020481	KC19020481E	KC19070492	KC19070492E	KC16100416		KC13070336	KC13070336E	KC17020427	KC17020427E
Last update	2023-06-22		2019-08-19		2019-08-07		2016-11-15		2014-06-18		2017-02-28	



Vehicle model	COMBO 1.6 CDTI		COMBO 1.3 CDTI		COMBO 1.4 CNG 16V		COMBO 1.6 CDTI		COMBO 1.6 CDTI		VIVARO 1.5D	
Year	(09/2016>2018)		(2010>)		(2012>)		(01/2012>)		(01/2012>)		(2021>)	
Engine Type	263A8000 (Euro 6) 940C1000 (Euro 6)		263 A2000 (Euro 5)		198A4000 CNG (Euro 5)		A16FDL (Euro 5)		A16FDL (Euro 5)		DV5 (Euro 6.3)	
CV(kW) @ rpm	105 (77) @ 4.000 120 (88) @ 4.000		90 (66) @ 4.000		120 (88) @ 5.000		105 (77) @ 4.000		105 (77) @ 4.000		100 (74) @ 3.750 120 (88) @ 3.750	
N. of cylinders/cm3	4 / 1.598		4 / 1.248		4 / 1.368		4 / 1.598		4 / 1.598		4 / 1.499	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 120 / 150		TM-QP 13 UP-UPF 120 SD5H14 / SD5L14		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; "S"=SANDEN - "S" only for SD7H15 - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles - It's possible to mount the kit on vehicles with AC. In this case the AC compressor must be removed in order to fit the kit and the refrigeration compressor. - Kit not suitable for the models 2018 Combo Life and Combo Cargo 		- Can be fit in right hand drive vehicles		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles 		- Can be fit in right hand drive vehicles		- Can be fit in right hand drive vehicles		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley
	Poly-V Ø119 5.546 rpm	Poly-V 6K Ø142 4.647 rpm	2A Ø135 4.000 rpm		Poly-V 8K Ø119 3.150 rpm	Poly-V 8K Ø119 3.150 rpm	2A Ø135 3.495 rpm		2A Ø135 3.495 rpm		Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm
Kit No.	KC16090413	KC16090413E/S	KC12060282		KC13070336	KC13070336E	KC10030190		KC11050236		KC19020481	KC19020481E
Last update	2016-09-30		2013-12-19		2014-10-30		2013-12-19		2013-12-19		2022-02-24	



Vehicle model	VIVARO 1.5D		VIVARO 2.0D		VIVARO 1.5D		VIVARO 1.5D		VIVARO 2.0D		VIVARO 2.0D	
Year	(2021>)		(11/2021>)		(2018>)		(2018>)		(09/2019-11/2021)		(09/2019>)	
Engine Type	DV5 (Euro 6.3 / Euro 6.4)		DW10 (Euro 6.3 / Euro 6.4)		DV5 (Euro 6.2)		DV5 (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)		DW10FE (Euro 6.2) DW10FD (Euro 6.2) DW10FC (Euro 6.2)	
CV(kW) @ rpm	100 (74) @ 3.750 120 (88) @ 3.750		145 (107) @ 3.750 177 (130) @ 3.750		100 (74) @ 3.750 120 (88) @ 3.750		100 (74) @ 3.750 120 (88) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750		120 (88) @ 3.750 150 (110) @ 3.750 180 (132) @ 3.750	
N. of cylinders/cm3	4 / 1.499		4 / 1.997		4 / 1.499		4 / 1.499		4 / 1.997		4 / 1.997	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM-QP 13 / 15 UP-UPF 150 SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 150 SD5H14 / SD5L14		UP-UPF 150	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - Suitable for vehicles with automatic gear box. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA; - Can be fit in right hand drive vehicles. - Suitable for vehicles with automatic gear box. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles. - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option - The kit is not suitable for vehicles 4x4 - Use tool to block the flywheel P/N 1149000412 	
Clutch type	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>	<i>With clutch pulley</i>	<i>Without clutch pulley</i>	
	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 3.412 rpm	Poly-V 8K Ø119 4.800 rpm	Poly-V 6K Ø142 4.035 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	Poly-V 8PK Ø119 3.120 rpm	
Kit No.	KC19070492	KC19070492E	KC22010537	KC22010537E	KC19020481	KC19020481E	KC19070492	KC19070492E	KC16080412	KC16080412E	KC16080412Z	
Last update	2022-02-24		2022-02-23		2019-08-19		2019-08-07		2020-04-23		2020-04-23	



Vehicle model	VIVARO 1.6 CDTI		VIVARO 1.6 CDTI		VIVARO 2.0 CDTI		VIVARO 2.0 CDTI		VIVARO 2.0 CDTI		VIVARO 2.0 CDTI	
Year	(2014>)		(2014>)		(01/2010>)		(01/2010>)		(06/2006>)		(06/2006>)	
Engine Type	R9M (Euro 5b+ / Euro 6) - Single Turbo - - Twin Turbo -		R9M (Euro 5b+ / Euro 6) - Single Turbo - - Twin Turbo -		M9R 630 (Euro 5) M9R 692 (Euro 5)		M9R 630 (Euro 5) M9R 692 (Euro 5)		M9R 780 (Euro 4) M9R 630 (Euro 5) M9R 692 (Euro 5)		M9R 780 (Euro 4)	
CV(kW) @ rpm	90(66) / 95 (70) @ 3.500 115(85) / 120 (88) @ 3.500 120(88) / 125 (92) @ 3.500 140(103) / 145 (107) @ 3.500		90(66) / 95 (70) @ 3.500 115(85) / 120 (88) @ 3.500 120(88) / 125 (92) @ 3.500 140(103) / 145 (107) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500		90 (66) @ 3.500 115 (85) @ 3.500	
N. of cylinders/cm3	4 / 1.598		4 / 1.598		4 / 1.995		4 / 1.995		4 / 1.995		4 / 1.995	
Volts	12		12		12		12		12		12	
Air Conditioning	Vehicles with or without A/C		Vehicles with or without A/C		Only Vehicles with A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles with A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 SD5 H14 / L14		UP-UPF 150 / 170		TM 13 / 15 QP 13 / 15 SD5H14		UP-UPF 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 - - Suitable on vehicles WITH optional power take off - PFMot - When PFMot option is not present please select the power take off crankshaft pulley kit P/N 1111100369		- According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 - - Suitable on vehicles WITH optional power take off - PFMot - When PFMot option is not present please select the power take off crankshaft pulley kit P/N 1111100369		- "E"=TM / QUE / UNICLA - Not recommended in vehicles with automatic gear box. - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop		- "E"=TM / QUE / UNICLA - Not recommended in vehicles with automatic gear box. - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop		- "E"=TM / QUE / UNICLA - Must be equipped with Power take-off "V66". - Not recommended in vehicles with automatic gear box - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop.		- Can be fit in right hand drive vehicles. - It can't be fit in normative Euro 5 vehicles.	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	
	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.		Poly-V 8K Ø119 2.941 rpm	Poly-V 7K Ø119 2.941 rpm	Poly-V 8K Ø119 2.941 rpm	Poly-V 7K Ø119 2.941 rpm	Poly-V 8K Ø119 4.353 rpm	Poly-V 7K Ø119 4.353 rpm	2A Ø135 3.111 rpm	
Kit No.	KC14070369	KC14070369E	KC14070369Z		KC12120298	KC12120298E	KC12120298Z	KC12120298ZE	KC06120095	KC06120095E	KC08120145	
Last update	2019-04-02		2019-04-02		2014-06-04		2014-06-04		2013-12-19		2013-12-19	



Vehicle model	VIVARO 2.5 CDTI		MOVANO 2.2 BlueHDi		MOVANO 2.2 BlueHDi		MOVANO 2.2 BlueHDi		MOVANO 2.3 CDTI - FWD (EURO 6D)		MOVANO 2.3 CDTI - FWD (EURO 6D)	
Year	(2003>)		(09/2019>)		(09/2019>)		(09/2019>)		(09/2019>)		(09/2019>)	
Engine Type	G9U 630 (Euro 3 / Euro 4)		DW12 (Euro 6.2 / Euro 6.3 / Euro 6.4)		DW12 RU (Euro 6.2 / Euro 6.3 / Euro 6.4)		DW12 RU (Euro 6.2 / Euro 6.3 / Euro 6.4)		M9T (Euro 6D Temp) M9T (Euro VI-D Temp)		M9T (Euro 6D Temp) M9T (Euro VI-D Temp)	
CV(kW) @ rpm	135 (99) @ 3.500 150 (110) @ 3.500		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		120 (88) @ 3.750 140 (103) @ 3.750 165 (121) @ 3.750		130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500		130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500	
N. of cylinders/cm3	4 / 2.464		4 / 2.179		4 / 2.179		4 / 2.179		4 / 2.298		4 / 2.298	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Only Vehicles with A/C		Only Vehicles without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 150 / 170 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16		UP 150 / UP 170	
Comments	<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - For TM and UP-UPF Ø119 only Poly-V 8K - To be mounted with special PTO option - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - Can be fit in right hand drive vehicles - Use tool to block the flywheel P/N 1149000412 - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface Box" JI01 option (connector 15 ways)</p>		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - Kit with independent belt for the refrigeration compressor - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface Box" JI01 option (connector 15 ways)</p>		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be fit in right hand drive vehicles - The kit is not suitable for vehicles 4x4 - If the vehicle is equipped with the Start & Stop, it is necessary to disable this option <p>In order to use SSMK 1183000514, the vehicle must be equipped from factory with Conversion interface Box" JI01 option (connector 15 ways)</p>		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 - - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 - - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V Ø119 4.387 rpm	Poly-V 7K Ø119 4.387 rpm	Poly-V Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 3.150 r.p.m.	Poly-V 8K Ø119 4.790 r.p.m.	Poly-V 8K Ø119 4.790 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.
Kit No.	KC05100012	KC05100012E	KC15050390	KC15050390E	KC17070438	KC17070438E	KC15060391	KC15060391E	KC12120300	KC12120300E	KC12120300Z	
Last update	2013-12-20		2023-08-21		2022-02-23		2022-02-23		2019-12-05		2020-12-03	



Vehicle model	MOVANO 2.3 CDTI - FWD (EURO 6D)		MOVANO 2.3 CDTI - FWD (EURO 6D)		MOVANO 2.3 CDTI - RWD (EURO 6D)		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD			
Year	(09/2019>)		(09/2019>)		(09/2019>)		(2016>)		(2016>)		(2016>)			
Engine Type	M9T (Euro 6D Temp) M9T (Euro VI-D Temp)		M9T (Euro 6D Temp) M9T (Euro VI-D Temp)		M9T (Euro VI-D Temp)		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -			
CV(kW) @ rpm	130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500		130(96) / 135 (99) @ 3.500 145(107) / 150 (110) @ 3.500 165(121) / 180 (132) @ 3.500		130 (96) @ 800 145 (107) @ 800 165 (121) @ 800		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500			
N. of cylinders/cm3	4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298			
Volts	12		12		12		12		12		12			
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C			
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge		
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		UP-UPF 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16		SD5H14 / SD7H15			
Comments	<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley		
	Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	2A Ø135 3.111 rpm		Poly-V 8K Ø119 3.500 r.p.m.		Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.		
Kit No.	KC14080372	KC14080372E	KC14070367	KC14070367S	KC10020189		KC12120300Z		KC12120300	KC12120300E	KC14070367	KC14070367S		
Last update	2019-09-18		2019-09-18		2019-09-18		2019-07-15		2019-07-15		2019-08-30			



Vehicle model	MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - RWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD	
Year	(2016>)		(2016>)		(2014>)		(2014>)		(06/2010>)		(06/2010>)	
Engine Type	M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T / M9T B7 (Euro 6) - Single & Twin Turbo -		M9T B7 (Euro 5b+) - Twin Turbo -		M9T B7 (Euro 5b+) - Twin Turbo -		M9T (Euro 4-5) M9T (Euro 5b+) - Single Turbo -		M9T (Euro 4-5)	
CV(kW) @ rpm	110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		110 (81) @ 3.500 130 (96) @ 3.500 145 (107) @ 3.500 165 (121) @ 3.500		135 (99) @ 3.500 165 (121) @ 3.500		135 (99) @ 3.500 165 (121) @ 3.500		100 (74) @ 3.500 110 (81) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500		100 (74) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500	
N. of cylinders/cm3	4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16		UP-UPF 150 / 170		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15	
Comments	- FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -.		- RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA		- FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300		- FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300		- FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Suitable on vehicles WITHOUT optional power take off - PFMot - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA		- FWD= Front wheel drive - Not recommended in vehicles with automatic gear box. - Can be fit in right hand drive vehicles - It can't be fit in vehicles whit Start & Stop	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley		Without clutch pulley	
	Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm	2A Ø135 3.111 rpm		Poly-V 8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 3.500 r.p.m.		2A Ø135 3.111 rpm		2A Ø135 3.059 rpm	
Kit No.	KC14080372	KC14080372E	KC10020189		KC12120300	KC12120300E	KC12120300Z		KC10050194		KC12060277	
Last update	2019-04-02		2019-04-02		2019-07-15		2019-07-15		2019-09-23		2013-12-20	



Vehicle model	MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - FWD		MOVANO 2.3 CDTI - RWD		MOVANO 2.2CDTI 2.5CDTI		MOVANO 2.5 CDTI	
Year	(2014>)		(2014>)		(06/2010>)		(06/2010>)		(2001>)		(06/2006>)	
Engine Type	M9T B7 (Euro 5b+) - Twin Turbo -		M9T B7 (Euro 5b+) - Twin Turbo -		M9T (Euro 4-5) M9T (Euro 5b+) - Single Turbo -		M9T (Euro 4-5) M9T / M9T B7 (Euro 5b+) - Single & Twin Turbo -		G9T G9U (Euro 3) G9U 630(Euro 4)		G9U 650 (Euro 4) G9U 632 (Euro 4)	
CV(kW) @ rpm	135 (99) @ 3.500 165 (121) @ 3.500		135 (99) @ 3.500 165 (121) @ 3.500		100 (74) @ 3.500 110 (81) @ 3.500 125 (92) @ 3.500 150 (110) @ 3.500		100(74) / 110 (81) @ 3.500 125(92) / 135 (99) @ 3.500 150(110) / 165 (121) @ 3.500		90 (66) @ 3.600 100 (74) / 115 (85) @ 3.500 100 (74) / 120 (88) @ 3.500		100 (74) @ 3.500 120 (88) @ 3.500 150 (110) @ 3.500	
N. of cylinders/cm3	4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.298		4 / 2.188 4 / 2.464		4 / 2.464	
Volts	12		12		12		12		12		12	
Air Conditioning	Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C		Only Vehicles without A/C		Vehicles with or without A/C	
Recommended fittings	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge	Suction	Discharge
Compressors type	TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170		SD5H14 / SD7H15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15 / SD5L14 / SD7L15		TM 13 / 15 QP 13 / 15 UP-UPF 120 / 150 SD5H14 / SD7H15		TM 13 / 15 / 16 QP 13 / 15 / 16 UP-UPF 120 / 150 / 170 SD5H14 / SD7H15	
Comments	<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop - STOSTA - it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - FWD= Front wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Suitability for right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. - Suitable on vehicles WITH optional power take off crankshaft pulley - PFMot - When PFMot option is not present, select the kit P/N 1111100300 		<ul style="list-style-type: none"> - FWD= Front wheel drive - "E"=TM / QUE / UNICLA - Must be equipped with Power take-off "V66". - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - Requires high idle - UF3 - when the vehicle is equipped with the Start & Stop option - STOSTA 		<ul style="list-style-type: none"> - RWD= Rear wheel drive - According to bodybuilder indications, the power take off is not suitable for the automatic gear box. - Can be fit in right hand drive vehicles - If the vehicle is equipped with the Start & Stop, it requires high idle - available with factory option UF3 -. 		<ul style="list-style-type: none"> - "E"=TM / QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - For TM and UP-UPF Ø119 only Poly-V 8K - To be mounted with special PTO option - Can be fit in right hand drive vehicles 		<ul style="list-style-type: none"> - "E"=TM QUE / UNICLA - For SD5H14 and SD7H15 Ø119 only Poly-V 7K-8K - Can be mounted with or without the PTO option 	
Clutch type	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley	Without clutch pulley		Without clutch pulley	With clutch pulley	Without clutch pulley	With clutch pulley
	Poly-V 8K Ø119 4.353 rpm	Poly-V 8K Ø119 4.353 rpm	Poly-V 6-8K Ø119 3.500 r.p.m.	Poly-V 5K Ø138 3.018 r.p.m.	Poly-V 8K Ø119 4.353 rpm	Poly-V 7K Ø119 4.353 rpm	2A Ø135 3.111 rpm		Poly-V Ø119 4.387 rpm	Poly-V 7K Ø119 4.387 rpm	Poly-V Ø119 3.529 rpm	Poly-V 8K Ø119 3.529 rpm
Kit No.	KC14080372	KC14080372E	KC14070367	KC14070367S	KC06120095	KC06120095E	KC10020189		KC05100012	KC05100012E	KC06110090	KC06110090E
Last update	2019-04-02		2019-08-30		2013-12-20		2019-04-02		2013-12-20		2019-12-03	